



**NOTES:**  
 1) FOR USE WITH MINERAL BASE HYDRAULIC OIL ONLY.  
 2) DIMENSIONS MAY VARY SLIGHTLY BETWEEN UNITS AND ARE TO BE USED FOR REFERENCE PURPOSES ONLY. MILLIMETER VALUES MAY NOT BE AN EXACT CONVERSION OF INCH VALUES.  
 3) ALL PORTS ARE PLUGGED FOR SHIPMENT.  
 4) REPAIR KIT P/N 02-400-269  
 5) SURFACE FINISH: OLIVE DRAB PRIMER.

**PERFORMANCE CHARACTERISTICS:**  
 1) MASTER CYLINDER: (EACH SIDE)  
 BORE DIA. - Ø1.250 [31.75]  
 STROKE - 1.125 [28.58]  
 2) MAXIMUM BOOSTER WORKING PRESSURE: 400 PSI [27.6 bar].  
 3) MAXIMUM MASTER CYLINDER WORKING PRESSURE: 1500 PSI [103.4 bar].  
 4) USABLE RESERVOIR VOLUME: 6.9 CUBIC INCHES.  
 5) OPERATING TEMPERATURE RANGE: 0 TO +200 °F [-18 TO +93 °C]  
 6) APPROXIMATE WEIGHT: 24 LB [11 KG].

INCH  
[MILLIMETER]



COMPONENT AND SYSTEM RECOMMENDATIONS MADE BY MICO, INC. ARE BASED ON INFORMATION SUPPLIED BY POTENTIAL USER AND/OR SYSTEM DESIGNER. THE POTENTIAL USER AND/OR DESIGNER MUST MAKE FINAL ACCEPTANCE AND APPROVAL OF COMPONENTS AND SYSTEM AFTER TESTING PERFORMANCE ON AN ACTUAL APPLICATION FOR WHICH SYSTEM WAS DESIGNED.	MICO, INC. CLAIMS PROPRIETARY RIGHTS TO THE MATERIAL DISCLOSED IN THIS DOCUMENT. THIS DOCUMENT IS PROVIDED IN CONFIDENCE AND MAY NOT BE REPRODUCED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICO, INC. COPYRIGHT MICO, INC. ALL RIGHTS RESERVED.	SCALE 1:000	TITLE POWER BRAKE VALVE	SIZE D	DRAWING NUMBER 02-460-650	REV A
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------	----------------------------	-----------	------------------------------	----------