



DRAWING NUMBER  
13-552-038  
NPI OR ECN NO  
ECN000306



**NOTES:**

1. FOR USE WITH MINERAL BASE HYDRAULIC OIL ONLY
2. DIMENSIONS MAY VARY BETWEEN UNITS AND ARE FOR REFERENCES PURPOSES ONLY  
MILLIMETER VALUES MAY NOT BE AN EXACT CONVERSION OF INCH VALUES
3. LINING REPAIR KIT P/N 12-501-306
4. BEARING REPAIR KIT P/N 12-501-250
5. O-RING REPAIR KIT P/N 12-501-249
6. SPRING REPAIR KIT P/N 12-501-251

**SPECIFICATIONS:**

TYPE:	DRY MULTIPLE DISC BRAKE, SPRING APPLY, HYDRAULIC RELEASE
TORQUE RATING:	8.000 LBIN STATIC (BREAKAWAY) AT 0 PSI BACK PRESSURE
RELEASE PRESSURE:	130 PSI INITIAL, 170 PSI FULL
MAXIMUM OPERATING PRESSURE:	3.000 PSI
MAXIMUM SPEED:	3.900 RPM
LINING MATERIAL:	SINTERED BRONZE
APPROXIMATE WEIGHT:	50 LB

**INCH**  
**(MILLIMETER)**

<b>MICO</b> North Mankato, Minnesota USA				
SCALE 0.500	TITLE 3D-131480-C MULTIPLE DISC BRAKE	SIZE B	DRAWING NUMBER 13-552-038	REV F
DWN RGBSI 2010-07-27	APVD PROD ENGR PJS 2010-08-18			
X NO	APVD ENGR RV 2010-08-05		CUSTOMER COPY	

COMPONENT AND SYSTEM RECOMMENDATIONS MADE BY MICO, INC ARE BASED ON INFORMATION SUPPLIED BY POTENTIAL USER AND/OR SYSTEM DESIGNER. THE POTENTIAL USER AND/OR DESIGNER MUST MAKE FINAL ACCEPTANCE AND APPROVAL OF COMPONENTS AND SYSTEM AFTER TESTING PERFORMANCE ON AN ACTUAL APPLICATION FOR WHICH SYSTEM WAS DESIGNED.

MICO, INC CLAIMS PROPRIETARY RIGHTS TO THE MATERIAL DISCLOSED IN THIS DOCUMENT. THIS DOCUMENT IS PROVIDED IN CONFIDENCE AND MAY NOT BE REPRODUCED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICO, INC. COPYRIGHT MICO, INC. ALL RIGHTS RESERVED.